
FIG. 11F FLAT TOP CLEVIS HANGER







"E" dimension includes exposed rod threads beyond bottom of the hex nut. Exposed rod thread dimension is equal to the diameter of the rod used.

Project:

Address:

Approved _

Date:

Material/Finish:	Carbon steel 304 stainless steel 316 stainless steel					
	Plain ☐ electro-galvanized ☐					
Service:	Designed for the suspension of non-insulated, stationary pipe where space is limited.					
Ordering:	Specify pipe size, figure number and finish.					
Notes:	Upper lock nut must be tightened securely to assure proper hanger performance.					

PIPE	PIPE OD	MATERIAL SIZE		DOLT	EADE	HAMILIA		F	E	WEIGHT	MAX REC
SIZE		TOP	ВОТТОМ	BOLT	А	В	C	Е		EACH (lbs)	LOAD (lbs)
1 ¹ /2	1.900	8ga x 1	12ga x ⁷ /8	1/4	3/8	2 ¹ /8	3 ¹ /8	1 ⁵ /16	⁵ /16	0.42	250
2	2.375	8ga x 1	12ga x ⁷ /8	1/4	3/8	2 1/2	3 11/16	1 11/16	⁷ / ₁₆	0.46	300
2 1/2	2.875	8ga x 1 ¹ / ₄	10ga x 1 ³ / ₁₆	5/16	1/2	2 ⁷ /8	4 ³ /16	1 13/16	7/16	0.78	500
3	3.500	8ga x 1 ¹ / ₄	10ga x 1 ³ / ₁₆	5/16	1/2	3 ⁵ /8	5 ³ /8	2 ⁹ /16	11/16	0.98	500
3 1/2	4.000	8ga x 1 ¹ / ₄	10ga x 1 ³ / ₁₆	5/16	1/2	4 ¹ / ₁₆	6 1/16	2 15/16	3/4	1.36	500
4	4.500	4ga x 1 1/4	10ga x 1 ³ / ₁₆	3/8	5/8	4 ¹ /16	6 5/16	2 11/16	3/16	1.38	700
5	5.563	4ga x 1 1/4	8ga x 1 ¹ / ₄	1/2	5/8	4 ⁷ /8	7 ⁵ /8	3 1/2	5/8	2.08	700
6	6.625	3ga x 1 ¹ / ₂	8ga x 1 ¹ / ₂	1/2	3/4	5 ¹ / ₂	8 7/8	3 7/8	⁷ / ₁₆	2.82	900
8	8.625	3ga x 1 ³ / ₄	8ga x 1 ³ / ₄	5/8	3/4	6 ³ /8	10 ⁷ /8	4 5/8	5/16	4.34	1000

Project Information	Approval Stamp

Not Approved

Contractor:

Engineer:

Approved as Noted |

Notes: