
FIG. 13 WELDLESS EYENUT, DOMESTIC, RIGHT HAND THREADS

FIG. 13I WELDLESS EYENUT, RIGHT HAND THREADS

FIG. 13L WELDLESS EYENUT, DOMESTIC, LEFT HAND THREADS







Material/Finis	h: Forged carbon	steel 316 stainles	ss steel 🗌		
	Plain 🗌	electro-galvanized	hot-dip galvanized		
Service:	Designed for u	Designed for use on high temperature piping applications.			
Approvals:	Complies with Federal Specifications WW-H-171-E (Type# 17), A-A-1192 A (Type# 17), and Manufacturers' Standardization Society MSS SP-58 and SP-69 (Type# 17).				
Ordering:	Specify rod size, figure number and finish.				
Notes:	Supports loads equal to the full limitation of the hanger rod. When figure 13I is supplied in hot-dip galvanized finish, it is not tapped oversized.				

SIZE D	_		-	-	WGT EACH	MAX REC LOAD (lbs)			
Α	B C D E F G	G	(lbs)	650ª F	750ª F				
³/8-16	1 ¹ / ₄	13/16	3/8	1 ⁹ /16	1	5/8	0.23	610	540
1/2-13	1 ¹ /4	13/16	3/8	1 ⁹ /16	110	5/8	0.55	1130	1010
5/8-11	1 ¹ / ₂	1 ³ /16	1/2	2	1 ³ /8	11/16	0.52	1810	1610
3/4-10	1 ¹ / ₂	1 ³ /16	1/2	2	1 ³ /8	11/16	1.70	2710	2420
⁷ /8-9	2	1 13/16	3/4	2 ³ /8	1 15/16	KUHUU	1.70	3770	3360
1-8	2	1 13/16	3/4	2 3/8	1 ¹⁵ /16	1	1.70	4960	4420
1 ¹ /8-7	2 ¹ / ₂	1 13/16	1	3 3/8	2 ³ /8	1 ¹ /4	3.70	6230	5560
1 1/4-7	2 1/2	1 ¹³ / ₁₆	1	3 3/8	2 3/8	1 ¹ / ₄	3.50	8000	7140
1 ¹ /2-6	2 1/2	1 ¹³ /16	1	3 3/8	2 ³ /8	1 ¹ /4	3.50	11630	10370

Project In	Approval Stamp		
Project:	Notes:		
Address:	Contractor:	THREADED PRODUCTS	
Date:	Engineer:		
Approved Approved as I	THIRD HET DIAL		