
## FIG. 145 RETURN LINE STRAIGHT J-HOOK



**Approval Stamp** 

Notes:



Project:

Address:

Approved

Date:

Material/Finish: Carbon steel ☐ 304 stainless steel ☐ 316 stainless steel ☐

Plain ☐ electro-galvanized ☐

**Service:** Designed for supporting light pipe loads next to wall.

**Ordering:** Specify pipe size, figure number and finish.

	PIPE SIZE	PIPE OD	MATERIAL SIZE	Н	e Err	М	WEIGHT EACH (lbs)	MAX REC LOAD (lbs)
	1/2	0.840	1 <sup>1</sup> / <sub>4</sub> x <sup>1</sup> / <sub>4</sub>	NUU	6 <sup>3</sup> /8	HAL	0.55	, . I IINI
	3/4	1.050	1 <sup>1</sup> / <sub>4</sub> x <sup>1</sup> / <sub>4</sub>	9/16	6 1/2	DUCTS  LAL  DUCTS	0.59	350
	31	1.315	1 1/4 x 1/4		6 11/16		0.82	
İ	1 <sup>1</sup> / <sub>4</sub>	1.660	1 <sup>1</sup> / <sub>4</sub> x <sup>1</sup> / <sub>4</sub>		6 13/16		0.84	
ſ	1 <sup>1</sup> / <sub>2</sub>	1.900	1 <sup>1</sup> / <sub>2</sub> x <sup>1</sup> / <sub>4</sub>		6 15/16		1.09	600
	2	2.375	1 <sup>1</sup> / <sub>2</sub> x <sup>1</sup> / <sub>4</sub>		7 <sup>3</sup> /16		1.15	
Ī	2 <sup>1</sup> / <sub>2</sub>	2.875	1 <sup>1</sup> / <sub>2</sub> x <sup>1</sup> / <sub>4</sub>		7 <sup>7</sup> /16		1.23	
	3	3.500	1 1/2 X 1/4		7 3/4		1.39	
Ī	3 1/2	4.000	1 <sup>1</sup> / <sub>2</sub> x <sup>1</sup> / <sub>4</sub>		8		1.48	
	4	4.500	1 <sup>1</sup> / <sub>2</sub> x <sup>1</sup> / <sub>4</sub>		8 <sup>1</sup> / <sub>4</sub>		1.58	

Not Approved ☐

**Project Information** 

Approved as Noted

Contractor:

Engineer: