


FIG. 41
SPLIT RING EXTENSION HANGER


Material: Malleable iron.

Finish: Plain, electro-galvanized.

Service: Designed for the suspension of non-insulated stationary pipe lines horizontally and vertically.

Approvals: Complies with Federal Specification WWH-171-E. (Type# 25), A-A-1192A (Type# 12), Manufacturers' Standardization Society SP-58 and MSS SP-69 (Type# 12).

Ordering: Specify pipe size, figure number and finish.

Notes: Split ring extension hangers with hinged design available in $\frac{3}{8}$ " - 4" (41H).

PIPE SIZE	PIPE OD	SCREW	A	B	C	D	WEIGHT EACH (lbs)	MAX REC LOAD (lbs)
$\frac{1}{2}$	0.840	10-24	$\frac{3}{8}$ -16	$\frac{3}{4}$	$2\frac{1}{8}$	$1\frac{3}{16}$	0.098	180
$\frac{3}{4}$	1.050		$\frac{3}{8}$ -16	$\frac{7}{8}$	$2\frac{1}{2}$	$1\frac{9}{16}$	0.112	
1	1.315		$\frac{3}{8}$ -16	$1\frac{1}{8}$	$2\frac{3}{4}$	2	0.147	
$1\frac{1}{4}$	1.660		$\frac{3}{8}$ -16	$1\frac{5}{16}$	$3\frac{3}{16}$	$2\frac{3}{8}$	0.181	
$1\frac{1}{2}$	1.900		$\frac{3}{8}$ -16	$1\frac{7}{16}$	$3\frac{3}{8}$	$2\frac{5}{8}$	0.214	
2	2.375		$\frac{3}{8}$ -16	$1\frac{5}{8}$	$3\frac{15}{16}$	$3\frac{1}{16}$	0.300	

Project Information		Approval Stamp
Project:		Notes:
Address:	Contractor:	
Date:	Engineer:	
Approved <input type="checkbox"/> Approved as Noted <input type="checkbox"/> Not Approved <input type="checkbox"/>		