
FIG. 41HCT EPOXY COATED (COPPER-GARD) COPPER TUBING SPLIT RING EXTENSION HANGER, HINGE DESIGN





Material: Malleable iron.

Finish: Copper epoxy coated (COPPER-GARD). COPPER-GARD products

offer superior corrosion protection due to the epoxy coating over electro-galvanized material. The alternative copper plating that has been done historically identifies the product and is not

intended for protection. Refer to MSS SP58, 13:3.

Service: Designed for suspension of non-insulated stationary pipe lines

horizontally or vertically.

Approvals: Complies with Federal Specification WWH-171-E. (Type# 25), A-A-

1192A (Type# 12), Manufacturers' Standardization Society SP-58

and MSS SP-69 (Type# 12).

Ordering: Specify tube size and figure number.

	TUBE SIZE	TUBE OD	SCREW	А	В	С	D	WEIGHT EACH (lbs)	MAX REC LOAD (lbs)
ſ	1/4	0.375	10-24	3/8-16	7/8	1 ³ / ₄	7/8	0.073	180
	3/8	0.500		³ /8-16	5/8	1 ³ / ₄	1 ¹ /16	0.080	
	1/2	0.625		3/8-16	¹¹ / ₁₆	1 ⁷ /8	1 ³ /16	0.084	
	3/4	0.875		3/8-16	¹³ / ₁₆	2 5/16	1 7/16	0.106	
ſ	1	1.125		³/8-16	¹⁵ / ₁₆	2 ⁷ /16	1 ⁵ /8	0.122	
ſ	1 1/4	1.375		3/8-16	1 ¹ /16	2 13/16	1 15/16	0.152	
Ī	1 ¹ / ₂	1.625		³/8-16	1 ³ /16	3 ¹ / ₁₆	2 ³ /16	0.172	
	2	2.125		3/8-16	1 ⁷ /16	3 ⁵ /8	2 11/16	0.233	
Ī	2 1/2	2.625	1/4-20	¹ /2-13	1 ⁷ /8	4 ¹⁵ / ₁₆	2 ⁷ /16	0.449	300
	3	3.125		1/2-13	2 ¹ /8	5 ¹ / ₂	4 ¹ /16	0.663	
	4	4.125		1/2-13	2 5/8	6 5/8	5 1/16	0.753	

IMPHOTOLAL	Project Information	Approval Stamp		
Project:	/// //// INDUSTRIAL	Notes:	J	
Address:	Contractor:	THREADED PRODUCTS		
Date:	Engineer:		<u></u>	
Approved	Approved as Noted Not Approved	MINDUCTRIAL	۸	