
## FIG. 51 ROD COUPLING





Material/Finish:	Carbon steel 🗌	304 stainless steel	316 stainless steel
	Plain 🗖	electro-galvanized 🗌	
Service:	Designed for connecting two lengths of rod with equal diameters.		
Ordering:	Specify rod size, figure number and finish.		
Notes:	Stainless steel rod couplings are recommended for applications where protection from corrosive environment is needed.		

SIZE	LENGTH	HEX WIDTH	WEIGHT EACH (lbs)	MAX REC LOAD (lbs)
<sup>1</sup> /4-20	7/8	<sup>3</sup> /8	0.02	230
<sup>3</sup> /8-16	1 <sup>3</sup> /4	<sup>5</sup> /8	0.11	610
1/2-13	1 <sup>3</sup> /4	11/16	0.10	1130
5/8-11	2 <sup>1</sup> /8	<sup>13</sup> /16	0.18	1810
<sup>3</sup> /4-10	2 <sup>1</sup> / <sub>4</sub>	1	0.28	2710
<sup>7</sup> /8-9	2 <sup>1</sup> /2	1 <sup>1</sup> /4	0.55	3770
1-8	2 <sup>3</sup> /4	1 <sup>3</sup> /8	0.71	4960
1 <sup>1</sup> /8-7	3	1 <sup>1</sup> /2	0.86	6230
1 <sup>1</sup> /4-7	3	1 <sup>5</sup> /8	0.95	8000
1 <sup>1</sup> /2-6	3 <sup>1</sup> /2	2	1.88	11,630

Project Information Project:		Approval Stamp Notes:	
Date:	Engineer:		
Approved Approved as Noted Not Approved			