
## FIG. 801 MEDIUM WELDED BRACKET





Material/Finish:	Carbon steel 🔲 304 stainless steel 🗌 316 stainless steel 🗌
	Plain electro-galvanized
	hot-dip galvanized 🗌 🦳 painted 🗌
Service:	Recommended for the support of pipe loads up to 1500 lbs Constructed of facing angle iron with 1" space. The bracket provides maximum lateral adjustment when carrying or suspending pipe.
Approvals:	Complies with Federal Specification WW-H-171-E (Type# 33), A-A-1192A (Type# 32) and Manufacturers' Standardization Society MSS SP 58 and SP 69 (Type#32).
Ordering:	Specify size number, figure number and finish.



SIZE NO.	C-C	А	P.EOI	UHTS	В	L	ANGLE SIZE S	W	WGT EACH (lbs)
1	15 <sup>1</sup> /2	12	<b>2</b> <sup>1</sup> / <sub>2</sub>	13/16	1 1/4	18	1 <sup>1</sup> /2 x 1 <sup>1</sup> /2 x <sup>3</sup> /16	4	16.10
2	21 <sup>1</sup> / <sub>2</sub>	18	<b>2</b> <sup>1</sup> / <sub>2</sub>	<sup>13</sup> /16	1 <sup>1</sup> /4	24	1 <sup>3</sup> /4 x 1 <sup>3</sup> /4 x <sup>3</sup> /16	4 <sup>1</sup> /2	26.00
3	<b>27</b> <sup>1</sup> / <sub>2</sub>	24	<b>2</b> <sup>1</sup> / <sub>2</sub>	<sup>13</sup> /16	1 <sup>1</sup> /4	30	2 x 2 x <sup>1</sup> / <sub>4</sub>	5	45.00

